


CDM-4.8



Application

Fastening of overlaps of metal decks and liner trays

Component 1 (t _I)		Component 2 (t _{II})		Σ _{max} t _I + t _{II}
Steel	0.63–1.20	Steel	0.63–1.20	2.00
Steel	2×0.63–0.88	Steel	2×0.63–0.88	3.60

Fastener material

Carbon steel, Durocoat® 480

Approvals




Features and Benefits

- Self drilling fastener suitable for fastening of overlaps
- Fast and chip-free installation thanks to the FastTip
- Cost saving installation due to post-cleaning of chips no longer necessary
- No torque control required given by free-spin zone
- Secured against unwinding given by free-spin zone
- High tension and shear resistance achieved by optimized fastener geometry
- Collated fastener available for installation with QuikDrive® setting tool
- High corrosion durability thanks to special galvanic zinc coating
- Perfect sit on the metal deck thanks to the head-undercut

Documentation


Approval document (ETA) | Declaration of performance (DoP)

All measures in mm



Fastener in carbon steel onto steel

Product code	PU	L	CL _{lap}	Collated	
CDM-4,8×20	1000	20	1.20–2.00	–	1476369
CDM-4,8×20-MQD	500	20	1.20–2.00	Yes	1476370



Accessories/Ancillaries

Product code	PU	Drive	Head drive	
E308-¼"-50	1	¼"	HEX8	1646160
Quik Drive BGP75E	1	FEIN	–	1490366

All measures in mm

All information is non-binding and without guarantee. Before using the products, all specifications and calculations must be checked by a suitably qualified person and local regulations must be observed. This document is subject to revision. We reserve the right to make technical changes.